

Commonwealth of Massachusetts

STATE RECLAMATION AND MOSQUITO CONTROL BOARD

NORTHEAST MASSACHUSETTS MOSQUITO CONTROL AND WETLANDS MANAGEMENT DISTRICT

118 Tenney Street Georgetown, MA 01833 Phone: (978) 352-2800 www.nemassmosquito.org



Operations

Barry Noone: District Director Kimberly A. Foss.: Entomologist Robyn A. Januszewski: GIS/Biologist

Steven Przyjemski: Wetlands Project Coordinator

Commissioners

John W. Morris, CHO: *Chair*Vincent J. Russo, MD, MPH: *Vice Chair*Paul Sevigny, RS, CHO
Joseph T. Giarrusso, Conservation Officer
Rosemary Decie,RS

2032 Best Management Practice Plan Hamilton

FY24 Percentage of assessment allocated to specific measures as prescribed by individual municipalities Best Management Practice (BMP) in the Town of Hamilton

NEMMC is requesting a 3% increase above the FY2023 certified assessment for a FY2024 operational budget. During FY2023 the District reorganized allowing more technicians in the field and the district is anticipated to be at full staff this year. FY2023 allowed the opportunity to replace one of our frontline heavy equipment pieces. Due to ongoing supply shortages, the district was unable to make intended vehicle replacement purchases. Our FY2024 budget addresses funding for an increase of approximately \$84,000 for regional aerial larviciding treatments. This also includes the increased costs of materials, energy, fuel, pesticides, full staffing and two vehicle replacements. The State mandated EV First Initiative comes with a substantial cost increase when replacing vehicles. Regional environmental changes remain challenging to plan for a "normal" year of mosquito control. Often dictated by the weather, mosquito populations, additional treatment for viruses and requests from member municipalities, NEMMC will work diligently to deal with exceptional mosquito nuisance and health issues.

Assessment: As estimated by the Massachusetts Department of Revenue, Division of Local Services, in accordance with Chapter 516 of the General Laws of the Commonwealth. The assessment formula is based on a regional concept, which considers square miles and evaluation. The district offers this breakdown as a general guide to how funds are allocated specific to your community.

FY23 Estimated District Budget for the Town of Hamilton \$ 56,237.00

FY23 State Reclamation and Mosquito Control Board \$ 2,396.00

FY23 Total Estimated Assessment for the Town of Hamilton \$ 58,633.00

District Control Measures Specific to Hamilton

General Operational Cost Share Regional Adult Mosquito Surveillance Program Regional Vector / Virus Intervention Surveillance Ground Larviciding (BT/BS products only-No methoprene will be used) Catch Basin Treatments (BT/BS products only- No methoprene will be used) Manual Ditch Maintenance Adulticiding (Virus Intervention ONLY with Board of Health approval) Barrier Treatment (By Board of Health and School Department request only) Ditch Maintenance / Wetlands Management Tire Recycling Program **Property Inspections** Mosquito Habitat Mitigation Research and Development **Education and Outreach** Social Media

NOTE: Any adulticiding, larviciding or treatment of catch basins for mosquito control on public school property requires a current IPM (Integrated Pest Management) Plan. We are often asked by local Boards of Health and/or athletic directors to treat ball fields and/or parks that may be owned/used by the school departments, and without an IPM plan that includes our materials we may not be able to assist.

Office: (978) 352- 2800 Email: barry.noone@mass.gov

Board of Health Checklist for 2022

☐ Schedule an annual Board of Health meeting/ presentation with NEMMC Note: meetings will only be scheduled between the dates of October 1st - June 1st
☐ Review login information for Municipal Toolbox on NEMMC website Our Liaison will e-mail you the password and login (see contact below)
☐ Update School IPMs to have all current and recently added NEMMC pesticide products Recently added pesticide products include Metalarv XRP and Merus 3.0
☐ Schedule Barrier Treatment for schools, parks, and/or public areas for peak mosquito season Note: scheduled barrier treatments are recommended between July 15th – August 25th
☐ Check with Department of Public Works for field access for barrier treatments once scheduled
☐ Notify NEMMC with Board of Health contact changes Work phone, cell phone, and email are required of primary and secondary contacts.
☐ Review District Phased Response to WNV/EEE Virus Isolations in Integrated Pest and Vector Management Plan (IPVMP)
For any questions on where to find this information, scheduling, and/or how to complete these tasks, pleas reach out to our Board of Health Liaison:
Barry Noone, Director/Board of Health Liaison Cell: (978) 609-1859

2023 NEMMC Protocols for District Arboviral Events

Climate change is expected to affect the geographic and seasonal patterns of mosquito-borne diseases in the United States. The northeast is experiencing an increase in precipitation and unusually hot temperatures. Since EEE is more prevalent in wetter years and WNV in hotter years the likeness of the district experiencing EEE and/or WNV events in any given year is possible, in some years both viruses can present substantial risk. The district feels that it is beneficial to our subscribing municipalities to set prevention and response criteria preparing for both mosquito-borne viruses.

District Prevention for WNV and EEE

- Adult mosquito surveillance and DPH virus testing
- Larviciding areas that can promote mosquito breeding including municipal catch basins
- Public notification to use personal protective measures from spring to first hard frost
- Wetlands management and stormwater maintenance
- Property inspections to larvicide standing water and remove containers holding water
- Early barrier treatments for public parks, recreation areas and schools
- Tire disposal program

District Response for WNV and EEE

If risk level increases for municipality but no virus in municipality:

- Public notification to use personal protective measures
- Additional larviciding of freshwater wetlands and flooded areas
- Recommendation for municipality to complete barrier treatments

If bird biting mosquitoes in municipality test positive for virus:

- Public notification to use personal protective measures
- Supplemental adult mosquito trapping and additional DPH virus testing in risk areas
- Additional larviciding of freshwater wetlands and flooded areas
- Retreatment of catch basins (if WNV) in focal area
- Retreatment of hummock swamps (if EEE) in focal area

If human biting mosquitoes in municipality test positive for virus:

- Public notification to use personal protective measures
- Supplemental adult mosquito trapping and additional DPH virus testing in risk areas
- Additional larviciding of freshwater wetlands and flooded areas
- Recommendation for municipality to complete a block adulticide of focal area
- Recommendation for municipality to complete barrier treatments

If mammal or human case of WNV or EEE in municipality:

- Public notification to use personal protective measures
- Supplemental adult mosquito trapping and additional DPH virus testing in risk areas
- Additional larviciding of freshwater wetlands and flooded areas
- Recommendation for municipality to complete a block adulticide of focal area
- Recommendation for municipality to complete barrier treatments

Summary of NEMMC District Operations Completed in Hamilton during 2022

3/3/2022 2022 Draft I 3/8/2022 2022 Integral 3/16/2022 Residential 3/17/2022 Residential 3/19/2022 Residential 4/2/2022 Residential 4/7/2022 Residential 4/12/2022 Residential 4/13/2022 Larviciding- 4/13/2022 Habitat Site 4/21/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/3/2022 Residential 5/7/2022 Residential 5/10/2022 Residential 5/10/2022 Residential 5/26/2022 Resident	Pesticide Exclusion Received (1) Best Management Plans (BMP) e-mailed to BOH for review Bated Pest and Vector Management Plan published to NEMMC website Pesticide Exclusion Received (1) Pesticide Exclusion Received (1) Pesticide Exclusion Received (1) Pesticide Exclusion Received (1) Pesticide Exclusion Received (2) Pesticide Exclusion Received (2) Pesticide Exclusion Received (1) Pesticide Exclusion Received (1) Pesticide Exclusions Received (5) Chebacco Woods Road (2.18 lbs. Vectobac-G) quest Site Inspection and larvicide- Rust Street Inspections (12) Inspections (2) Pesticide Exclusion Received (1) Pesticide Exclusion Received (1) Pesticide Exclusion Received (2) Pesticide Exclusion Received (3) Pesticide Exclusion Received (4) Pesticide Exclusion Received (5) Pesticide Exclusion Received (1)
3/8/2022 2022 Integr. 3/16/2022 Residential 3/17/2022 Residential 3/19/2022 Residential 3/31/2022 District-wid 4/2/2022 Residential 4/7/2022 Residential 4/13/2022 Larviciding- 4/13/2022 Habitat Site 4/13/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/4/2022 Residential 5/10/2022 Residential 5/10/2022 Residential 5/26/2022 Resident Reside	Pesticide Exclusion Received (1) Pesticide Exclusion Received (2) Pesticide Exclusion Received (2) Pesticide Exclusion Received (1) Pesticide Exclusions Received (5) Chebacco Woods Road (2.18 lbs. Vectobac-G) quest Site Inspection and larvicide- Rust Street Inspections (12) Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
3/16/2022 Residential 3/17/2022 Residential 3/19/2022 Residential 3/31/2022 District-wid 4/2/2022 Residential 4/7/2022 Residential 4/12/2022 Residential 4/13/2022 Larviciding- 4/13/2022 Habitat Site 4/21/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/3/2022 Residential 5/10/2022 Residential 5/10/2022 Residential 5/18/2022 Resident Reside	Pesticide Exclusion Received (1) Pesticide Exclusion Received (1) Pesticide Exclusion Received (1) Pesticide Exclusion Received (1) Pesticide Exclusion Received (2) Pesticide Exclusion Received (2) Pesticide Exclusion Received (1) Pesticide Exclusions Received (5) Chebacco Woods Road (2.18 lbs. Vectobac-G) quest Site Inspection and Iarvicide- Rust Street Inspections (12) Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
3/17/2022 Residential 3/19/2022 Residential 3/31/2022 District-wid 4/2/2022 Residential 4/7/2022 Residential 4/12/2022 Residential 4/13/2022 Larviciding- 4/13/2022 Habitat Site 4/21/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/4/2022 Residential 5/7/2022 Residential 5/10/2022 NEMMC att 5/18/2022 Resident Re 6/14/2022 Pools Subm 6/28/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/19/2022 Pools Subm 7/19/2022 Pools Subm	Pesticide Exclusion Received (1) Pesticide Exclusion Received (1) Pesticide Exclusion Received (1) Pesticide Exclusion Received (2) Pesticide Exclusion Received (1) Pesticide Exclusion Received (5) Chebacco Woods Road (2.18 lbs. Vectobac-G) quest Site Inspection and Iarvicide- Rust Street Inspections (12) Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
3/19/2022 Residential 3/31/2022 District-wid 4/2/2022 Residential 4/7/2022 Residential 4/12/2022 Residential 4/13/2022 Larviciding- 4/13/2022 Habitat Site 4/21/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/4/2022 Residential 5/10/2022 Residential 5/10/2022 Residential 5/26/2022 Resident Re 6/14/2022 Pools Subm 6/28/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/19/2022 Pools Subm 7/19/2022 Pools Subm	Pesticide Exclusion Received (1) Pesticide Exclusion Received (2) Pesticide Exclusion Received (2) Pesticide Exclusion Received (1) Pesticide Exclusions Received (5) Chebacco Woods Road (2.18 lbs. Vectobac-G) quest Site Inspection and larvicide- Rust Street Inspections (12) Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
3/31/2022 District-wid 4/2/2022 Residential 4/7/2022 Residential 4/12/2022 Residential 4/13/2022 Larviciding- 4/13/2022 Resident Re 4/13/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/3/2022 Residential 5/7/2022 Residential 5/10/2022 NEMMC att 5/18/2022 Resident Re 6/14/2022 Pools Subm 6/21/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/14/2022 Catch basin 7/19/2022 Pools Subm	Pesticide Exclusion Received (2) Pesticide Exclusion Received (1) Pesticide Exclusions Received (5) Chebacco Woods Road (2.18 lbs. Vectobac-G) quest Site Inspection and Iarvicide- Rust Street Inspections (12) Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
4/2/2022 Residential 4/7/2022 Residential 4/12/2022 Residential 4/13/2022 Larviciding- 4/13/2022 Habitat Site 4/21/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/4/2022 Residential 5/7/2022 Residential 5/10/2022 Residential 5/26/2022 Resident Resi	Pesticide Exclusion Received (2) Pesticide Exclusion Received (1) Pesticide Exclusions Received (5) Chebacco Woods Road (2.18 lbs. Vectobac-G) quest Site Inspection and Iarvicide- Rust Street Inspections (12) Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
4/7/2022 Residential 4/12/2022 Residential 4/13/2022 Larviciding- 4/13/2022 Resident Re 4/13/2022 Habitat Site 4/21/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/4/2022 Residential 5/7/2022 Residential 5/10/2022 Residential 5/18/2022 Resident Re 6/14/2022 Pools Subm 6/21/2022 Pools Subm 6/28/2022 Pools Subm 7/1/2022 Catch basin 7/14/2022 Catch basin 7/19/2022 Pools Subm	Pesticide Exclusion Received (1) Pesticide Exclusions Received (5) Chebacco Woods Road (2.18 lbs. Vectobac-G) quest Site Inspection and Iarvicide- Rust Street Inspections (12) Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
4/12/2022 Residential 4/13/2022 Larviciding- 4/13/2022 Resident Re 4/13/2022 Habitat Site 4/21/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/4/2022 Residential 5/7/2022 Residential 5/10/2022 Residential 5/26/2022 Resident Re 6/14/2022 Pools Subm 6/21/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/14/2022 Catch basin 7/19/2022 Pools Subm	Pesticide Exclusions Received (5) Chebacco Woods Road (2.18 lbs. Vectobac-G) quest Site Inspection and Iarvicide- Rust Street Inspections (12) Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
4/13/2022 Larviciding- 4/13/2022 Resident Re 4/13/2022 Habitat Site 4/21/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/4/2022 Residential 5/7/2022 Residential 5/10/2022 NEMMC att 5/18/2022 Residential 5/26/2022 Resident Re 6/14/2022 Pools Subm 6/28/2022 Pools Subm 7/1/2022 Catch basin 7/14/2022 Catch basin 7/19/2022 Pools Subm	Chebacco Woods Road (2.18 lbs. Vectobac-G) quest Site Inspection and Iarvicide- Rust Street Inspections (12) Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
4/13/2022 Resident Resident Resident Resident Resident Resident Resident Resident Site 4/21/2022 Habitat Site 5/3/2022 Larvicidings 5/3/2022 Habitat Site 5/4/2022 Residential 5/7/2022 Residential 5/10/2022 Residential 5/18/2022 Resident Residen	Inspections (12) Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
4/13/2022 Habitat Site 4/21/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/4/2022 Residential 5/7/2022 Residential 5/10/2022 NEMMC att 5/18/2022 Residential 5/26/2022 Resident Re	Inspections (12) Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
4/21/2022 Habitat Site 5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/4/2022 Residential 5/7/2022 Residential 5/10/2022 NEMMC att 5/18/2022 Residential 5/26/2022 Resident Re	Inspections (2) Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
5/3/2022 Larviciding- 5/3/2022 Habitat Site 5/4/2022 Residential 5/7/2022 Residential 5/10/2022 Residential 5/18/2022 Resident Res	Essex Street, Chebacco Road (5.26 lbs. VectoBac-G) Inspections (2)
5/3/2022 Habitat Site 5/4/2022 Residential 5/7/2022 Residential 5/10/2022 NEMMC att 5/18/2022 Residential 5/26/2022 Resident Re 6/14/2022 Pools Subm 6/21/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/19/2022 Pools Subm	Inspections (2)
5/4/2022 Residential 5/7/2022 Residential 5/10/2022 NEMMC att 5/18/2022 Residential 5/26/2022 Resident Re 6/14/2022 Pools Subm 6/21/2022 Pools Subm 6/28/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/19/2022 Pools Subm	
5/7/2022 Residential 5/10/2022 NEMMC att 5/18/2022 Residential 5/26/2022 Resident Re 6/14/2022 Pools Subm 6/21/2022 Pools Subm 6/28/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/19/2022 Pools Subm	Pesticide Exclusion Received (1)
5/10/2022 NEMMC att 5/18/2022 Residential 5/26/2022 Resident Re 6/14/2022 Pools Subm 6/21/2022 Pools Subm 6/28/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/19/2022 Pools Subm	
5/18/2022 Residential 5/26/2022 Resident Re	Pesticide Exclusion Received (1)
5/26/2022 Resident Re 6/14/2022 Pools Subm 6/21/2022 Pools Subm 6/28/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/14/2022 Catch basin 7/19/2022 Pools Subm	endance at Hamilton BOH meeting to review BMP
6/14/2022 Pools Subm 6/21/2022 Pools Subm 6/28/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/14/2022 Catch basin 7/19/2022 Pools Subm	Pesticide Exclusion Received (1)
6/21/2022 Pools Subm 6/28/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/14/2022 Catch basin 7/19/2022 Pools Subm	quest Site Inspection- Madonna Drive
6/28/2022 Pools Subm 7/1/2022 Resident Re 7/13/2022 Catch basin 7/14/2022 Catch basin 7/19/2022 Pools Subm	tted to DPH for WNV/EEE Testing- 1 NEGATIVE
7/1/2022 Resident Re 7/13/2022 Catch basin 7/14/2022 Catch basin 7/19/2022 Pools Subm	tted to DPH for WNV/EEE Testing- 1 NEGATIVE
7/13/2022 Catch basin 7/14/2022 Catch basin 7/19/2022 Pools Subm	tted to DPH for WNV/EEE Testing- 1
7/14/2022 Catch basin 7/19/2022 Pools Subm	quest Site Inspection- Moulton Street
7/19/2022 Pools Subm	larviciding- (230 VectoMax WSP)
	larviciding- (214 VectoMax WSP) + Pingree School (9 VectoMax WSP)
7/20/2022 Catch basin	tted to DPH for WNV/EEE Testing- 1 NEGATIVE
	larviciding- (120 VectoMax WSP)
7/20/2022 Catch Basin	Hamilton Completed = Total 573 (564 + 9 Schools)
8/4/2022 Resident Re	quest Site Inspection- Moulton Street
8/8/2022 Pools Subm	quest site inspection- Moditon street
8/16/2022 Pools Subm	tted to DPH for WNV/EEE Testing- 1 NEGATIVE
8/23/2022 Pools Subm	
9/7/2022 Pools Subm	tted to DPH for WNV/EEE Testing- 1 NEGATIVE
10/1/2022 Adult mosq	tted to DPH for WNV/EEE Testing- 1 NEGATIVE tted to DPH for WNV/EEE Testing- 2 NEGATIVE

• 4 Resident/BOH Inspection/larvicide service requests: up from 2 in 2021

Informing residents that they can contact the district to inspect for standing water and help identify new breeding areas can help reduce mosquito populations.

- 16 mosquito habitat site inspections
- Catch basin larviciding was completed on 7/20/2021: 573 total municipal basins were treated (564 municipal + 9 school)
- 15 Residential pesticide exclusions were filed with the district this year from Hamilton

2022 Hamilton Mosquito & Arbovirus Surveillance Summary

There were no WNV/EEE mosquito isolations, human, or animal cases in Hamilton in 2022. By the end of 2022, the arboviral risk level for Hamilton remained LOW for EEE and LOW for WNV. Risk Categories are described on pages 13, 22, 25 of the 2022 Massachusetts State Arbovirus Surveillance and Response Plan.

Massachusetts DPH assesses arboviral risk levels based on many factors including but not limited to mosquito isolations, locations of acquired veterinary and human infections, virus history locally and in bordering states, weather conditions present and predictions, and current mosquito populations and future trends.

State arbovirus risk updates: https://www.mass.gov/info-details/massachusetts-arbovirus-update#risk-maps-

• 11 mosquito pools/batches were sent from Hamilton to the MDPH lab for testing in 2022, all batches tested negative for EEE/WNV.

Mosquito virus isolation history (WNV/EEE) in Hamilton:

Collection Date	Species	Test Type	Result
9/28/2021	<u>Culex salinarius</u>	WNV	Positive
8/27/2013	<u>Culiseta melanura</u>	WNV	Positive
9/17/2013	<u>Culiseta melanura</u>	WNV	Positive
8/14/2012	<u>Culiseta melanura</u>	EEE	Positive
8/28/2012	<u>Culiseta melanura</u>	EEE	Positive
9/02/2012	<u>Culiseta melanura</u>	EEE	Positive
9/02/2012	<u>Culiseta melanura</u>	WNV	Positive
9/02/2012	Coquillettidia perturbans	EEE	Positive
9/18/2012	<u>Culiseta melanura</u>	WNV	Positive
9/16/2009	<u>Culiseta melanura</u>	EEE	Positive
9/25/2006	Culiseta melanura	EEE	Positive

Total Mosquito Collected in Hamilton	2021	2022	% Change
Resting Boxes (8)- EEE primary vectors	456	107	- -77%
CDC CO2/Light Traps (1) - Mammal feeders/bridge vectors	1,727	273	-84%
Gravid Traps (1)- WNV primary vectors	68	33	-51%
Totals	2,251	413	-82%

Mosquito Species- pest/disease list- Hamilton	<u>2021</u>	<u>2022</u>	% Change	WNV/EEE +	District Total % Change 2021 to 2022
Culiseta melanura (red maple swamp/acid bog)	135	52	-61%	NO	-30%
Culex pipiens (container/catch basins/heavy organics)	5	4	-20%	NO	14%
Culex restuans (container/catch basins)	3	7	133%	NO	-68%
Culex salinarius (brackish water/phragmites/roadside ditches)	996	0	-100%	NO	-99%
Coquillitidia perturbans (cattail)	531	198	-63%	NO	41%
Aedes vexans (rainwater/fresh floodwater)	108	1	-99%	NO	-98%
Aedes japonicus (tree hole/container breeder)	7	7	-	NO	-19%
Aedes sollicitans (salt marsh)	0	2	-	NO	-68%
Aedes cantator (salt marsh)	7	13	86%	NO	-35%
Aedes canadensis (snowmelt/woodland pool)	6	0	-100%	NO	-38%

WNV/EEE bridge vectors/human biters

• Due to the prolonged drought event during 2022, there was a decrease in the fresh floodwater species Ae. vexans of 99%, Cx. salinarius of 100% and Ae. canadensis of 100% in Hamilton. The cattail species Cq. perturbans has not fully recovered to their pre-drought populations and showed an additional decrease of 63% in Hamilton during 2022. 1 batch of Cq. perturbans did test positive in Rowley for WNV in 2022. There were no EEE isolates in these species during 2022. Informing residents that they can contact the district to inspect for standing water and help identify new breeding areas can also reduce these populations.

WNV primary vectors/bird biters (*Cx. pipiens/restuans*)

• There was a 38% increase in collections of WNV primary vectors from 2021 to 2022 in Hamilton. There is typically an increase in these vector species during hot dry years. Timely catch basin cleaning and treatments help to keep *Culex* mosquito populations in check. Only 2 batches of *Cx. pipiens* tested positive in Lynnfield and Haverhill for WNV in 2022. There were no EEE isolates in these species during 2022. Informing residents that they can contact the district to inspect for standing water and help identify new breeding areas can also reduce these populations.

EEE primary vectors/bird biters (*Cs. melanura*)

• While 2019 was an unprecedented year for EEE statewide, due to early and sustained drought conditions and anticipatory targeted larviciding activities in the Northeast from 2020 through 2022. In 2022, the district saw a 30% decrease in *Cs. melanura* populations from 2021. Hamilton saw a decrease in *Cs. melanura* populations this year of 61%. It will take several years for *Cs. melanura* populations to recover from the droughts. There were no EEE isolates in these species during 2022.

Pest Status salt marsh mosquitoes (*Ae. sollicitans*)

• Ae. sollicitans, a summer-fall salt marsh species, also suffered from drought conditions. With less precipitation falling on the marshes the hatches were restricted to the usual tidal flow triggers. Total salt marsh mosquito populations in the district decreased by 49% from 2021.

With extensive forested wetlands in Hamilton and in surrounding communities, there may be a local focus here for EEE and WNV. There will always be concern for transmission and human infection by EEE/WNV virus in Hamilton and all surrounding municipalities. From July to the first hard frost, Hamilton residents should take necessary precautions to reduce the risk of infection from these viruses, regardless of low mosquito populations and/or aggressiveness of control.

<u>A hard, or killing frost</u>, is defined meteorologically as two consecutive hours of temperatures below 28 degrees Fahrenheit or three hours below 32 degrees. This will occur at different times for different communities, and there may even be variation within communities based on local geography. Although mosquitoes are not killed until a hard frost occurs, they are extremely unlikely to be active when temperatures fall below 50 degrees in the evening (Page 15 of the 2022 MA Arbovirus Plan listed below).

Refer to the 2022 Massachusetts State Arbovirus Surveillance and Response Plan viewed online at: https://www.mass.gov/lists/arbovirus-surveillance-plan-and-historical-data