

Commonwealth of Massachusetts

STATE RECLAMATION AND MOSQUITO CONTROL BOARD

NORTHEAST MASSACHUSETTS MOSQUITO CONTROL AND WETLANDS MANAGEMENT DISTRICT

118 Tenney Street Georgetown, MA 01833 Phone: (978) 352-2800 www.nemassmosquito.org



Operations

Barry Noone: *District Director*Kimberly A. Foss.: *Entomologist*Robyn A. Januszewski: *IT Coordinator*

Steven Przyjemski: Wetlands Project Coordinator

Commissioners

John W. Morris, CHO: Chair Vincent J. Russo, MD, MPH: Vice Chair Paul Sevigny, RS, CHO Joseph T. Giarrusso, Conservation Officer Rosemary Decie, RS

2024 Best Management Practice Plan Boxford

FY25 Percentage of assessment allocated to specific measures as prescribed by individual municipalities Best Management Practice (BMP) in the Town of Boxford

NEMMC is requesting a 4% increase above the FY24 certified assessment for the FY25 operational budget. During FY24 the District reorganized allowing more technicians in the field, we anticipate being at full staff this year. FY24 allowed the opportunity to replace one of our frontline heavy equipment pieces a Freightliner Equipment Hauler. The district was finally able to place an order for two front line replacement trucks. Our FY25 budget addresses funding for regional aerial larviciding treatments. Aerial larviciding cost has increased significantly over the past two years, NEMMC plans accordingly for these increases. The FY25 budget includes the increased costs of materials, energy, fuel, pesticides, full staffing and contributing to capital expenses. NEMMC's facility lease expires in FY25 where we will be responsible for portions of EV infrastructure as well as State mandated EV First policy coming with a substantial cost increase when replacing vehicles. Regional environmental changes remain challenging to plan for a "normal" year of mosquito control. Often dictated by the weather, mosquito populations, additional treatment for viruses and requests from member municipalities, NEMMC will work diligently to deal with exceptional mosquito nuisance and health issues.

Assessment: As estimated by the Massachusetts Department of Revenue, Division of Local Services, in accordance with Chapter 516 of the General Laws of the Commonwealth. The assessment formula is based on a regional concept, which considers square miles and evaluation. The district offers this breakdown as a general guide to how funds are allocated specific to your community.

FY25 Estimated District Budget for the Town of Boxford \$ 91,909.00

FY25 State Reclamation and Mosquito Control Board \$ 3,704.00

FY25 Total Estimated Assessment for the Town of Boxford \$ 95,613.00

District Control Measures specific to Boxford

General Operational Cost Share
Regional Adult Mosquito Surveillance Program
Regional Vector / Virus Intervention
Surveillance
Ground Larviciding
Catch Basin Treatments
Manual Ditch Maintenance
Adulticiding (Virus Intervention ONLY with Board of Health approval - Zenivex® only)
Barrier Treatment (By Board of Health and School Department request only- Suspend SC® only)
Ditch Maintenance / Wetlands Management
Tire Recycling Program
Property Inspections
Mosquito Habitat Mitigation
Research and Development
Education and Outreach
Social Media

NOTE: Any adulticiding, larviciding or treatment of catch basins for mosquito control on public school property requires a current IPM (Integrated Pest Management) Plan. We are often asked by local Boards of Health and/or athletic directors to treat ball fields and/or parks that may be owned/used by the school departments, and without an IPM plan that includes our materials we may not be able to assist.

BMP Reminders for 2024

2000 Neumaers 101 202 1
□ Schedule an annual Board of Health meeting/ presentation with NEMMC *Meetings will only be scheduled between the dates of October 1st - June 1st
□ Notify NEMMC with Health Department /Board of Health contact changes *Work phone, cell phone, and email are required of primary and secondary contacts.
☐ Review District Phased Response to WNV/EEE Virus Isolations in Integrated Pest and Vector Management Plan (IPVMP)
☐ Review login information for Municipal Toolbox on NEMMC website *Our Liaison will e-mail you the password and login (see contact below)
*At the recommendation of NEMMC or request from Health Department/Board of Health, NEMMC will coordinate with schools, parks, and/or public areas for scheduling barrier treatments/adulticiding and confirm access to these areas. NEMMC will provide Standard Written Notification to be distributed. *Scheduled barrier treatments are recommended between July 15th – August 25 th
As a reminder school IPM Coordinators should be kept up to date. NEMMC will alert IMP Coordinators with any pesticide product changes/additions.

For any questions on where to find this information, scheduling, and/or how to complete these tasks, please reach out to our Board of Health Liaison:

Jennifer Sforza/Board of Health Liaison

Cell: (978) 971-7689 Office: (978) 352- 2800

Email: Jennifer.Sforza@mass.gov

2024 NEMMC Protocols for District Arboviral Events

Climate change is expected to affect the geographic and seasonal patterns of mosquito-borne diseases in the United States. The northeast is experiencing an increase in precipitation and unusually hot temperatures. Since EEE is more prevalent in wetter years and WNV in hotter years the likeness of the district experiencing EEE and/or WNV events in any given year is possible, in some years both viruses can present substantial risk. The district feels that it is beneficial to our subscribing municipalities to set prevention and response criteria preparing for both mosquito-borne viruses.

District Prevention for WNV and EEE

- Adult mosquito surveillance and DPH virus testing
- Larviciding areas that can promote mosquito breeding including municipal catch basins
- Public notification to use personal protective measures from spring to first hard frost
- Wetlands management and stormwater maintenance
- Property inspections to larvicide standing water and remove containers holding water
- Early barrier treatments for public parks, recreation areas and schools
- Tire disposal program

District Response for WNV and EEE

If risk level increases for municipality but no virus in municipality:

- Public notification to use personal protective measures
- Additional larviciding of freshwater wetlands and flooded areas
- Recommendation for municipality to complete barrier treatments

If bird biting mosquitoes in municipality test positive for virus:

- Public notification to use personal protective measures
- Supplemental adult mosquito trapping and additional DPH virus testing in risk areas
- Additional larviciding of freshwater wetlands and flooded areas
- Retreatment of catch basins (if WNV) in focal area
- Retreatment of hummock swamps (if EEE) in focal area

If human biting mosquitoes in municipality test positive for virus:

- Public notification to use personal protective measures
- Supplemental adult mosquito trapping and additional DPH virus testing in risk areas
- Additional larviciding of freshwater wetlands and flooded areas
- Recommendation for municipality to complete a block adulticide of focal area
- Recommendation for municipality to complete barrier treatments

If mammal or human case of WNV or EEE in municipality:

- Public notification to use personal protective measures
- Supplemental adult mosquito trapping and additional DPH virus testing in risk areas
- Additional larviciding of freshwater wetlands and flooded areas
- Recommendation for municipality to complete a block adulticide of focal area
- Recommendation for municipality to complete barrier treatments

Summary of NEMMC District Operations Completed in Boxford during 2023

Date	Activity	Completed

2/11/2023 Residential Pesticide Exclusion Received (1) 2/21/2023 Residential Pesticide Exclusion Received (1) 2/26/2023 Residential Pesticide Exclusion Received (1) 3/2/2023 Residential Pesticide Exclusion Received (1) 3/2/2023 Residential Pesticide Exclusion Received (2) 3/2/2023 2023 Integrated Pest and Vector Management Plans (BMP) e-mailed to BOH for review, IPVMP mailed to BOH 3/2/2023 2023 Integrated Pest and Vector Management Plan published to NEMMC website 3/2/2023 Residential Pesticide Exclusion Received (17) 3/25/2023 Residential Pesticide Exclusion Received (11) 3/25/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (3) 4/11/2023 Residential Pesticide Exclusion Received (3) 4/11/2023 Arise Pesticide Exclusion Received (3) 4/11/2023 Arise Pesticide Exclusion Received (4) 4/29/2023 Residential Pesticide Exclusion Received (1) 4/29/2023 Residential Pesticide Exclusion Received (1) 4/29/2023 Residential Pesticide Exclusion Received (1) 5/3/2023 Residential Pesticide Excl	Date	Activity Completed
2/23/2023 Residential Pesticide Exclusion Received (1) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/2/2023 2023 Draft Best Management Plans (BMP) e-mailed to BOH for review, IPVMP mailed to BOH 3/2/2023 2023 Integrated Pest and Vector Management Plan published to NEMMC website 3/22/2023 Residential Pesticide Exclusion Received (17) 3/23/2023 Residential Pesticide Exclusion Received (17) 3/25/2023 Residential Pesticide Exclusion Received (11) 3/25/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/29/2023 Residential Pesticide Exclusion Received (2) 3/29/2023 Residential Pesticide Exclusion Received (1) 4/5/2023 Residential Pesticide Exclusion Received (1) 4/5/2023 Residential Pesticide Exclusion Received (3) 4/11/2023 Habitat Inspections (5) 4/11/2023 Habitat Inspections (6) 4/11/2023 Habitat Inspections (6) 4/21/2023 Habitat Inspections (14) 4/29/2023 Residential Pesticide Exclusion Received (1) 5/3/2023 Adult mosquito surveillance traps set out 5/6/2023 Residential Pesticide Exclusion Received (1) 5/3/2023	2/11/2023	Residential Pesticide Exclusion Received (2)
2/26/2023 Residential Pesticide Exclusion Received (1) 3/1/2023 2023 Draft Best Management Plans (BMP) e-mailed to BOH for review, IPVMP mailed to BOH 3/2/2023 2023 Integrated Pest and Vector Management Plan published to NEMMC website 3/22/2023 Residential Pesticide Exclusion Received (17) 3/23/2023 Residential Pesticide Exclusion Received (11) 3/25/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/29/2023 Residential Pesticide Exclusion Received (3) 4/5/2023 Residential Pesticide Exclusion Received (3) 4/5/2023 Residential Pesticide Exclusion Received (3) 4/11/2023 Larviciding: Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G) 4/11/2023 Habitat Inspections (5) 4/21/2023 Residential Pesticide Exclusion Received (1) 5/3/2023 Catch basin larviciding (200 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (200 Altosid	2/21/2023	Residential Pesticide Exclusion Received (1)
3/1/2023 Residential Pesticide Exclusion Received (2) 3/2/2023 2023 Draft Best Management Plans (BMP) e-mailed to BOH for review, IPVMP mailed to BOH 3/2/2023 2023 Integrated Pest and Vector Management Plan published to NEMMC website 3/22/2023 Residential Pesticide Exclusion Received (17) 3/23/2023 Residential Pesticide Exclusion Received (11) 3/25/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/29/2023 Residential Pesticide Exclusion Received (3) 4/1/2023 Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G) 4/11/2023 Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G) 4/11/2023 Habitat Inspections (14) 4/29/2023 Residential Pesticide Exclusion Received (1) 5/3/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Residential Pest	2/23/2023	Residential Pesticide Exclusion Received (1)
3/2/2023 2023 Draft Best Management Plans (BMP) e-mailed to BOH for review, IPVMP mailed to BOH 3/2/2023 2023 Integrated Pest and Vector Management Plan published to NEMMC website 3/22/2023 Residential Pesticide Exclusion Received (17) 3/23/2023 Residential Pesticide Exclusion Received (21) 3/25/2023 Residential Pesticide Exclusion Received (22) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/29/2023 Residential Pesticide Exclusion Received (2) 3/29/2023 Residential Pesticide Exclusion Received (3) 4/11/2023 Residential Pesticide Exclusion Received (3) 4/11/2023 Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G) 4/11/2023 Habitat Inspections (5) 4/21/2023 Residential Pesticide Exclusion Received (1) 4/29/2023 Residential Pesticide Exclusion Received (1) 4/29/2023 Residential Pesticide Exclusion Received (1) 5/5/2023 Residential Pesticide Exclusion Received (1) 6/20/2023 Residential Pesticide Exclusion Received (1) 6/20/2023 Residential Pesticide Exclusion Received (1) 6/20/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Catch basin larviciding (200 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding (200 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding (200 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 8/2023 Mosquito batches to PHL - 1 batch NEGATIVE 8/2023 Mosquito batches to PHL - 1 batch NEGATIVE 8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/202	2/26/2023	Residential Pesticide Exclusion Received (1)
3/2/2023 Residential Pesticide Exclusion Received (17) 3/23/2023 Residential Pesticide Exclusion Received (17) 3/23/2023 Residential Pesticide Exclusion Received (17) 3/25/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (3) 4/5/2023 Residential Pesticide Exclusion Received (3) 4/5/2023 Residential Pesticide Exclusion Received (3) 4/11/2023 Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G) 4/11/2023 Habitat Inspections (5) 4/21/2023 Habitat Inspections (14) 4/29/2023 Residential Pesticide Exclusion Received (1) 5/3/2023 NEMMC Virtual Town Hall BOH District-wide meeting 5/5/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Residential Pesticide Exclusion Received (1) 5/24/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Catch basin larviciding (200 Altosid WSP) 7/4/2023 Residential Pesticide Exclusion Received (3) 6/27/2023 Catch basin larviciding (200 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (200 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batch NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE	3/1/2023	Residential Pesticide Exclusion Received (2)
3/22/2023 Residential Pesticide Exclusion Received (17) 3/25/2023 Residential Pesticide Exclusion Received (2) 3/25/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/29/2023 Residential Pesticide Exclusion Received (2) 3/29/2023 Residential Pesticide Exclusion Received (3) 4/5/2023 Residential Pesticide Exclusion Received (3) 4/5/2023 Residential Pesticide Exclusion Received (3) 4/11/2023 Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G) 4/21/2023 Habitat Inspections (5) 4/21/2023 Habitat Inspections (14) 4/29/2023 Residential Pesticide Exclusion Received (1) 5/3/2023 NEMMC Virtual Town Hall BOH District-wide meeting 5/5/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Residential Pesticide Exclusion Received (1) 5/27/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (160 Altosid WSP) 6/27/2023 Catch basin larviciding (160 Altosid WSP) 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Residential Pesticide Exclusion Received (3) 7/3/2023 Residen	3/2/2023	2023 Draft Best Management Plans (BMP) e-mailed to BOH for review, IPVMP mailed to BOH
3/23/2023 Residential Pesticide Exclusion Received (1) 3/25/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/29/2023 Residential Pesticide Exclusion Received (1) 4/5/2023 Residential Pesticide Exclusion Received (3) 4/11/2023 Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G) 4/11/2023 Habitat Inspections (5) 4/21/2023 Habitat Inspections (14) 4/29/2023 Residential Pesticide Exclusion Received (1) 5/3/2023 NEMMC Virtual Town Hall BOH District-wide meeting 5/3/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Adult mosquito surveillance traps set out 5/9/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Residential Pesticide Exclusion Received (1) 5/24/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (200 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (200 Altosid WSP) 7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Catch basin larviciding (253 Altosid WSP) 7/5/2023 Catch basin larviciding (253 Altosid WSP) 7/5/2023 Catch basin larviciding (253 Altosid WSP) 7/5/2023 Catch basin larviciding (253 Altosid WSP) 7/17/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/8/2023 Mosquito batches to	3/2/2023	2023 Integrated Pest and Vector Management Plan published to NEMMC website
3/25/2023 Residential Pesticide Exclusion Received (2) 3/26/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (1) 4/5/2023 Residential Pesticide Exclusion Received (3) 4/11/2023 Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G) 4/11/2023 Habitat Inspections (5) 4/21/2023 Habitat Inspections (5) 4/21/2023 Residential Pesticide Exclusion Received (1) 5/3/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (160 Altosid WSP) 6/27/2023 Catch basin larviciding (160 Altosid WSP) 6/27/2023 Residential Pesticide Exclusion Received (1) 6/27/2023 Residenti	3/22/2023	Residential Pesticide Exclusion Received (17)
3/26/2023 Residential Pesticide Exclusion Received (2) 3/28/2023 Residential Pesticide Exclusion Received (2) 3/29/2023 Residential Pesticide Exclusion Received (1) 4/5/2023 Residential Pesticide Exclusion Received (3) 4/11/2023 Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G) 4/11/2023 Habitat Inspections (5) 4/21/2023 Habitat Inspections (14) Habitat Inspections (14) 4/29/2023 Residential Pesticide Exclusion Received (1) S/3/2023 Residential Pesticide Exclusion Received (1) S/3/2023 Residential Pesticide Exclusion Received (1) S/8/2023 Residential Pesticide Exclusion Received (1) S/8/2023 Residential Pesticide Exclusion Received (1) S/8/2023 Residential Pesticide Exclusion Received (1) S/15/2023 Residential Pesticide Exclusion Received (3) S/24/2023 Catch basin larviciding (200 Altosid WSP) Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) S/27/2023 Catch basin larviciding (160 Altosid WSP) Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) S/27/2023 Residential Pesticide Exclusion Received (1) Resi	3/23/2023	Residential Pesticide Exclusion Received (11)
3/28/2023 Residential Pesticide Exclusion Received (1)	3/25/2023	Residential Pesticide Exclusion Received (2)
3/29/2023 Residential Pesticide Exclusion Received (1)	3/26/2023	Residential Pesticide Exclusion Received (2)
4/5/2023Residential Pesticide Exclusion Received (3)4/11/2023Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G)4/11/2023Habitat Inspections (5)4/21/2023Habitat Inspections (14)4/29/2023Residential Pesticide Exclusion Received (1)5/3/2023NEMMC Virtual Town Hall BOH District-wide meeting5/5/2023Residential Pesticide Exclusion Received (1)5/8/2023Adult mosquito surveillance traps set out5/9/2023Residential Pesticide Exclusion Received (1)5/15/2023Adult mosquito surveillance starts for the season5/24/2023Residential Pesticide Exclusion Received (3)6/22/2023Residential Pesticide Exclusion Received (3)6/22/2023Catch basin larviciding (200 Altosid WSP)6/27/2023Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP)6/27/2023Catch basin larviciding -The Village School (1 VectoMax WSP)6/27/2023Mosquito batches to PHL - 3 batches NEGATIVE6/27/2023Residential Pesticide Exclusion Received (1)7/3/2023Catch basin larviciding (253 Altosid WSP)7/4/2023Mosquito batches to PHL - 1 batch NEGATIVE7/5/2023Catch basins in Boxford completed - 633 municipal basins + 65 School basins = 698 total7/11/2023Mosquito batches to PHL - 1 batch NEGATIVE7/17/2023Mosquito batches to PHL - 1 batch NEGATIVE8/1/2023Mosquito batches to PHL - 2 batches NEGATIVE8/1/2023Mosquito batches to PHL - 2 batches NEGATIVE8/1/2023Mosquito ba	3/28/2023	Residential Pesticide Exclusion Received (2)
4/11/2023 Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G) 4/11/2023 Habitat Inspections (5) 4/21/2023 Habitat Inspections (14) 4/29/2023 Residential Pesticide Exclusion Received (1) 5/3/2023 NEMMC Virtual Town Hall BOH District-wide meeting 5/5/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Adult mosquito surveillance traps set out 5/9/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Adult mosquito surveillance traps set out 5/9/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Adult mosquito surveillance starts for the season 5/24/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding - The Village School (1 VectoMax WSP) 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin sin Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 1 batch NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batch NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE	3/29/2023	Residential Pesticide Exclusion Received (1)
4/11/2023 Habitat Inspections (5) 4/21/2023 Habitat Inspections (14) 4/29/2023 Residential Pesticide Exclusion Received (1) 5/3/2023 NEMMC Virtual Town Hall BOH District-wide meeting 5/5/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Residential Pesticide Exclusion Received (1) 5/9/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Adult mosquito surveillance traps set out 5/9/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Residential Pesticide Exclusion Received (3) 5/24/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding - The Village School (1 VectoMax WSP) 6/27/2023 Mosquito batches to PHL - 3 batches NEGATIVE 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basin sensor of completed - 633 municipal basins + 65 School basins = 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 1 batch NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE	4/5/2023	Residential Pesticide Exclusion Received (3)
4/21/2023Habitat Inspections (14)4/29/2023Residential Pesticide Exclusion Received (1)5/3/2023NEMMC Virtual Town Hall BOH District-wide meeting5/5/2023Residential Pesticide Exclusion Received (1)5/8/2023Adult mosquito surveillance traps set out5/9/2023Residential Pesticide Exclusion Received (1)5/15/2023Adult mosquito surveillance starts for the season5/24/2023Residential Pesticide Exclusion Received (3)5/24/2023Residential Pesticide Exclusion Received (3)6/22/2023Catch basin larviciding (200 Altosid WSP)6/27/2023Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP)6/27/2023Catch basin larviciding - The Village School (1 VectoMax WSP)6/27/2023Mosquito batches to PHL - 3 batches NEGATIVE6/27/2023Residential Pesticide Exclusion Received (1)7/3/2023Catch basin larviciding (253 Altosid WSP)7/4/2023Mosquito batches to PHL - 1 batch NEGATIVE7/5/2023Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP)7/5/2023Catch basin in Boxford completed- 633 municipal basins + 65 School basins= 698 total7/11/2023Mosquito batches to PHL - 1 batch NEGATIVE7/17/2023Mosquito batches to PHL - 2 batches NEGATIVE8/1/2023Mosquito batches to PHL - 2 batches NEGATIVE8/8/2023Mosquito batches to PHL - 2 batches NEGATIVE8/1/2023Mosquito batches to PHL - 2 batches NEGATIVE8/1/2023Mosquito batches to PHL - 2 batches NEGATIVE <td>4/11/2023</td> <td>Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G)</td>	4/11/2023	Larviciding- Cahoon Park, Bridle Spur Road (6.0 lbs Vectobac-G)
4/29/2023Residential Pesticide Exclusion Received (1)5/3/2023NEMMC Virtual Town Hall BOH District-wide meeting5/5/2023Residential Pesticide Exclusion Received (1)5/8/2023Adult mosquito surveillance traps set out5/9/2023Residential Pesticide Exclusion Received (1)5/15/2023Adult mosquito surveillance starts for the season5/24/2023Resident request site inspection (1) Ipswich Road5/30/2023Residential Pesticide Exclusion Received (3)6/22/2023Catch basin larviciding (200 Altosid WSP)6/27/2023Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP)6/27/2023Catch basin larviciding - The Village School (1 VectoMax WSP)6/27/2023Mosquito batches to PHL - 3 batches NEGATIVE6/27/2023Residential Pesticide Exclusion Received (1)7/3/2023Catch basin larviciding (253 Altosid WSP)7/4/2023Mosquito batches to PHL - 1 batch NEGATIVE7/5/2023Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP)7/5/2023Catch basin in Boxford completed- 633 municipal basins + 65 School basins= 698 total7/11/2023Mosquito batches to PHL - 1 batch NEGATIVE8/1/2023Mosquito batches to PHL - 2 batches NEGATIVE	4/11/2023	Habitat Inspections (5)
S/3/2023 NEMMC Virtual Town Hall BOH District-wide meeting	4/21/2023	Habitat Inspections (14)
S/5/2023 Residential Pesticide Exclusion Received (1) 5/8/2023 Adult mosquito surveillance traps set out 5/9/2023 Residential Pesticide Exclusion Received (1) 5/15/2023 Adult mosquito surveillance starts for the season 5/24/2023 Resident request site inspection (1) Ipswich Road 5/30/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding- The Village School (1 VectoMax WSP) 6/27/2023 Mosquito batches to PHL - 3 batches NEGATIVE 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basin in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE	4/29/2023	Residential Pesticide Exclusion Received (1)
S/8/2023 Adult mosquito surveillance traps set out	5/3/2023	NEMMC Virtual Town Hall BOH District-wide meeting
S/9/2023 Residential Pesticide Exclusion Received (1)	5/5/2023	Residential Pesticide Exclusion Received (1)
S/15/2023 Adult mosquito surveillance starts for the season	5/8/2023	Adult mosquito surveillance traps set out
S/24/2023 Resident request site inspection (1) Ipswich Road 5/30/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding- The Village School (1 VectoMax WSP) 6/27/2023 Mosquito batches to PHL - 3 batches NEGATIVE 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	5/9/2023	Residential Pesticide Exclusion Received (1)
S/30/2023 Residential Pesticide Exclusion Received (3) 6/22/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding- The Village School (1 VectoMax WSP) 6/27/2023 Mosquito batches to PHL - 3 batches NEGATIVE 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	5/15/2023	Adult mosquito surveillance starts for the season
6/22/2023 Catch basin larviciding (200 Altosid WSP) 6/27/2023 Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding- The Village School (1 VectoMax WSP) 6/27/2023 Mosquito batches to PHL - 3 batches NEGATIVE 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	5/24/2023	Resident request site inspection (1) Ipswich Road
6/27/2023 Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP) 6/27/2023 Catch basin larviciding- The Village School (1 VectoMax WSP) 6/27/2023 Mosquito batches to PHL - 3 batches NEGATIVE 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	5/30/2023	Residential Pesticide Exclusion Received (3)
6/27/2023 Catch basin larviciding- The Village School (1 VectoMax WSP) 6/27/2023 Mosquito batches to PHL - 3 batches NEGATIVE 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	6/22/2023	Catch basin larviciding (200 Altosid WSP)
6/27/2023 Mosquito batches to PHL - 3 batches NEGATIVE 6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	6/27/2023	Catch basin larviciding (160 Altosid WSP) + Harry Lee Cole School, Spofford Pond School (16 Altosid WSP)
6/27/2023 Residential Pesticide Exclusion Received (1) 7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	6/27/2023	Catch basin larviciding- The Village School (1 VectoMax WSP)
7/3/2023 Catch basin larviciding (253 Altosid WSP) 7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	6/27/2023	Mosquito batches to PHL - 3 batches NEGATIVE
7/4/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	6/27/2023	Residential Pesticide Exclusion Received (1)
7/5/2023 Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP) 7/5/2023 Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	7/3/2023	Catch basin larviciding (253 Altosid WSP)
7/5/2023 Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total 7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	7/4/2023	Mosquito batches to PHL - 1 batch NEGATIVE
7/11/2023 Mosquito batches to PHL - 1 batch NEGATIVE 7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	7/5/2023	Catch basin larviciding (20 Altosid WSP) + Masconomet RHS (48 Altosid WSP)
7/17/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	7/5/2023	Catch basins in Boxford completed- 633 municipal basins + 65 School basins= 698 total
8/1/2023 Mosquito batches to PHL - 1 batches NEGATIVE 8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	7/11/2023	Mosquito batches to PHL - 1 batch NEGATIVE
8/8/2023 Mosquito batches to PHL - 2 batches NEGATIVE 8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	7/17/2023	Mosquito batches to PHL - 2 batches NEGATIVE
8/14/2023 Mosquito batches to PHL - 2 batches NEGATIVE	8/1/2023	Mosquito batches to PHL - 1 batches NEGATIVE
	8/8/2023	Mosquito batches to PHL - 2 batches NEGATIVE
8/22/2023 Mosquito batches to PHL - 1 batch NEGATIVE	8/14/2023	Mosquito batches to PHL - 2 batches NEGATIVE
~	8/22/2023	Mosquito batches to PHL - 1 batch NEGATIVE

8/24/2023	Larviciding- Hillside Rd, Porter Rd, King George Dr, Lantern Ln, Cahoon Park (24.91 lbs Vectobac G)
8/24/2023	Resident Request Inspection and Larvicide (1)- Whitney Road (5.83 lbs VectobacG)
8/29/2023	Mosquito batches to PHL - 2 batches NEGATIVE
9/6/2023	Mosquito batches to PHL - 4 batches NEGATIVE
9/13/2023	Mosquito batches to PHL - 3 batches NEGATIVE
9/19/2023	Mosquito batches to PHL - 3 batches NEGATIVE
9/22/2023	Larviciding- Cahoon Park (8.00 lbs VectoBacG)
10/27/2023	Wetland Drainage spillway renovation- Wild Meadow Road- completed 11/14/2023 (0.02 acres mowed/access)

• 2 Residential property inspection service requests, up from 0 in 2022

Informing residents that they can contact the district to inspect for standing water and help identify new breeding areas can help reduce mosquito populations.

- 19 mosquito habitat site inspections
- Catch basin larviciding was completed on 7/5/2023: 698 total basins were treated (633 municipal + 65 school)
- 52 Residential pesticide exclusions were filed with the district this year from Boxford during 2023, up from 24 during 2022.

2023 Boxford Mosquito & Arbovirus Surveillance Summary

There were no WNV/EEE mosquito isolations and no WNV/EEE human or animal cases in Boxford in 2023. At the end of 2023, the arboviral risk level for Boxford remained at LOW for EEE and LOW for WNV. Risk Categories are described on pages 13, 22, 25 of the 2023 Massachusetts State Arbovirus Surveillance and Response Plan.

Massachusetts DPH assesses arboviral risk levels based on many factors including but not limited to mosquito isolations, locations of acquired veterinary and human infections, virus history locally and in bordering states, weather conditions present and predictions, and current mosquito populations and future trends.

State arbovirus risk updates: https://www.mass.gov/info-details/massachusetts-arbovirus-update#risk-maps-

• 25 mosquito pools/batches were sent from Boxford to the MDPH lab for testing in 2023, all batches tested negative for WNV/EEE.

Mosquito virus isolation history (WNV/EEE) in Boxford:

Collection Date	Species	Test Type	Result
8/30/2021	<u>Culiseta melanura</u>	WNV	Positive
8/19/2019	<u>Culiseta melanura</u>	EEE	Positive
8/29/2012	Culex pipiens/restuans complex	WNV	Positive
8/03/2011	Culex pipiens/restuans complex	WNV	Positive
8/31/2011	<u>Culiseta melanura</u>	WNV	Positive
9/14/2011	<u>Culiseta melanura</u>	WNV	Positive
9/13/2006	<u>Culiseta melanura</u>	EEE	Positive

Total Mosquito Collected in Boxford	2022	2023	% Change
Resting Boxes (16)- EEE primary vectors	79	291	268%
CDC CO2/Light Traps (1) - Mammal feeders/bridge vectors	746	1,071	44%
Gravid Traps (1)- WNV primary vectors	59	182	208%
Totals	884	1,544	75%

	2022	2022	o/ 6l		District Total % Change 2022 to 2023
Mosquito Species- pest/disease list- Boxford	<u>2022</u>	<u>2023</u>	% Change	WNV/EEE +	2022 10 2023
Culiseta melanura (red maple swamp/acid bog)	232	48	-79%	NO	5%
Culex pipiens (container/catch basins/heavy organics)	18	14	-22%	NO	64%
Culex restuans (container/catch basins)	2	12	500%	NO	359%
Culex salinarius (brackish water/phragmites/roadside ditches)	1	32	3100%	NO	11154%
Coquillitidia perturbans (cattail)	52	378	627%	NO	-40%
Aedes vexans (rainwater/fresh floodwater)	1	70	6900%	NO	2256%
Aedes japonicus (tree hole/container breeder)	10	16	60%	NO	1233%
Aedes sollicitans (salt marsh)	1	0	-100%	NO	-39%
Aedes cantator (salt marsh)	23	0	-100%	NO	89%
Aedes canadensis (snowmelt/woodland pool)	0	16	-	NO	287%

WNV/EEE bridge vectors/human biters

• Due to historic precipitation during 2023, there was an increase in the fresh floodwater species *Ae. vexans, Ae. canadensis* and *Cx. salinarius*, a brackish water mosquito which also relies on seasonal precipitation. The cattail species *Cq. perturbans* populations did not fully recover due to multiple years of drought but showed a population increase in Boxford of 627% during 2023, this increase is slight and remains below the 10-year average. There were no WNV or EEE isolates in these bridge vector species during 2023. Informing residents that they can contact the district to inspect for standing water and help identify new breeding areas can also reduce these populations.

WNV primary vectors/bird biters (*Cx. pipiens/restuans*)

• There was a 30% increase in collections of WNV primary vectors from 2022 to 2023 in Boxford. There is usually an increase in these vector species during hot dry years in container habitats. However, the precipitation received this year left quite a bit of stagnant water on grassy lawns which made perfect additional habitats for *Culex*. Timely catch basin cleaning and treatments and increased floodwater treatments helped keep *Culex* larval populations in check. 6 batches of *Culex* tested positive for WNV in 2023 with all isolations identified west of the I-95 corridor (Middleton, Haverhill, Lawrence, Andover). There were no EEE isolates in these species during 2023. Informing residents that they can contact the district to inspect for standing water and help identify new breeding areas can also reduce these populations.

EEE primary vectors/bird biters (*Cs. melanura*)

• While 2019 was an unprecedented year for EEE statewide, due to early and sustained drought conditions and anticipatory targeted larviciding activities in the Northeast from 2020 through 2022. In the 2022 the district saw a 30% decrease in *Cs. melanura* populations from 2021. During 2023 the replenishment of groundwater needed for this species to propagate caused a 5% increase from 2022 populations. Even with the excessive rainfall this year, it will take several years for *Cs. melanura* populations to recover from the drought years. There were no WNV or EEE isolates in this species during 2023. Boxford observed a 79% decrease in *melanura* during 2023.

Pest Status salt marsh mosquitoes (*Ae. sollicitans*)

• Ae. sollicitans, a summer-fall salt marsh species, was also affected by the wet conditions this year. Ae. sollicitans relies on higher saline salt marsh conditions than other salt marsh mosquito species such as Ae. cantator. The excess precipitation "watered" down the salt pools on the marsh and cooler, cloudier than normal conditions limited evaporation of this fresh water which also decreased salinity of these pools. The district also conducted 4 aerial larvicide operations in 2023 versus the usual 3. This species decreased in the district by 39% from 2022 and collections in Boxford also decreased.

With Boxford and nearby communities possessing large stretches of forested wetlands which could serve as a local focus of EEE, there will always be concern of transmission and human infection by this virus in Boxford and all surrounding municipalities. From July to the first hard frost, Boxford residents should take necessary precautions to reduce the risk of infection from these viruses, regardless of low mosquito populations and/or aggressiveness of control.

A hard, or killing frost, is defined meteorologically as two consecutive hours of temperatures below 28 degrees. Fahrenheit or three hours below 32 degrees. This will occur at different times for different communities, and there may even be variation within communities based on local geography. Although mosquitoes are not killed until a hard frost occurs, they are extremely unlikely to be active when temperatures fall below 50 degrees in the evening (Page 15 of the 2023 MA Arbovirus Plan listed below).

Refer to the 2023 Massachusetts State Arbovirus Surveillance and Response Plan viewed online at: https://www.mass.gov/lists/arbovirus-surveillance-plan-and-historical-data