

WSP

Specimen Label

Water Soluble Pouch

ACTIVE INGREDIENTS:

Bacillus sphaericus 2362, Serotype H5a5b, strain AML614*	3.0%
Bacillus thuringiensis subspecies israelensis Strain BMP 144 solids,	
spores and insecticidal toxins*	3.0%
OTHER INGREDIENTS:	94.0%
TOTAL:	100.0%

*Equivalent to 30 Bs ITU/mg and 210 Bti ITU/mg respectively. <u>Note:</u> The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION:

Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS:

Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

FIRST AID	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
lf on skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product	t container or label with you when calling a poison control center or doctor, or going for

DIRECTIONS FOR USE

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling.

FourStar® **Water Soluble Pouch (WSP)**: Once the foil bag containing Water Soluble Pouches is opened, minimize exposure of the WSP to humidity.

treatment. You may also contact 1-800-248-7763 for emergency medical treatment information.

APPLICATION DIRECTIONS

FourStar® WSP is a highly selective multi-brood microbial insecticide effective against mosquito larvae in a variety of aquatic habitats for up to 8 weeks. FourStar WSP releases effective levels of *Bacillus sphaericus* and *Bacillus thuringiensis* subspecies *israelensis* to the water surface and throughout the water column. Apply uniformly according to rates listed below by hand. Reapply after 1 to 8 weeks under typical environmental conditions. More frequent applications may be made if monitoring indicates that larval populations have reestablished or weather conditions have rendered initial treatments ineffective.

APPI ICATION SITES

FourStar WSP can be applied to all field mosquito development sites that contain aquatic life, fish and plants as well as areas in contact with humans, animals, horses, livestock, pets, birds or wildlife.

Examples of application sites include:

Natural and man-made aquatic sites such as catch basins and storm drains, abandoned swimming pools, unused swimming pools or spas, flooded basements, pool covers, gutters and drains, wheelbarrows, garbage cans and covers, discarded tires, ponds, lagoons, hollow trees and tree holes, urns, rain barrels, livestock watering troughs/ponds/tanks, irrigation ditches, roadside ditches, water gardens, impounded wastewater associated with fruit and vegetable processing, retention, detention and seepage ponds, animal waste lagoons, flood water, standing water, storm water retention areas, birdbaths, fountains, flowerpots and planters, snow melt pools, septic tanks.

Any location where water accumulates and remains standing for periods of time, except treated, finished drinking water for human consumption.

APPLICATION RATES

Apply on basis of surface area of potential mosquito breeding sites by placing one (1) **FourStar WSP** for up to 50 square feet of treatment area. For larger sites, apply 1 additional pouch for each additional 50 square feet of surface area. In areas where late instar larvae predominate, larval populations are high or under conditions where local experience indicates the need for higher rates to achieve extended residual control, double the application rate.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place.

Pesticide Disposal: To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

Container Handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or dispose of the empty outer foil pouch in the trash as long as WSP is unbroken.

NOTICE TO USER

To the extent consistent with applicable law, seller makes no warranty express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with label instructions.



Always read the label before using this product. For product information,